

**Press Release**

For immediate release

## **NORTHERN SUPERIOR REPORTS 2.13 G/T GOLD OVER 31.4 METRES AND 4.84 G/T GOLD OVER 3.9 METRES FROM THE RED FOX ZONE OF THE PHILIBERT PROJECT**

Toronto, Ontario, Canada, May 11, 2023 – Northern Superior Resources Inc. (“Northern Superior” or the “Company”) (TSXV: SUP) (OTCQX: NSUPF) is pleased to report the remaining assay results from the Red Fox Zone (see Figures 1 and 2) of the Philibert gold property (see press release dated January 11, 2023), located 60 kilometres southwest of Chibougamau, Quebec.

**Highlights Include** (*Grades uncut; lengths measured along hole, Table 1*):

- **12 Holes Remain Pending from other zones;**
- **DDH PB-22-417 returned 2.13 g/t Au over 31.4 metres from 25.0 to 56.4 metres from the southeastern extent of the Red Fox zone;**
- **DDH PB-22-375 returned 4.84 g/t Au over 3.9 metres from 90.6 to 94.5 metres from the western limit of the Red Fox Zone; and**
- **DDH PB-22-372A returned 4.44 g/t Au over 2.5 metres from 79.2 to 81.7 metres extension of the Red Fox Zone to the northwest.**

Simon Marcotte, President & Chief Executive Officer of Northern Superior, commented: “The results communicated today continue to demonstrate the exceptional grade and width of the Red Fox Zone. With the campaign uncovering this new high-grade area, we see a clear opportunity to extend near surface mineralization along strike and down plunge towards the east-southeast. Moreover, the drill holes investigating the western extent of the Red Fox Zone have revealed that it remains open in that direction, providing a significant opportunity for the Company to expand the mineralized corridor in the future. Overall, these results continue to demonstrate the significant potential of Philibert as we continue to progress towards a maiden NI-43-101 resource calculation, which we believe will establish Philibert as a pillar in the rapidly emerging Chibougamau gold camp.”

### **Philibert Drill Program**

Northern Superior is reporting results today for eleven drill holes which include the last remaining drill holes that tested the Red Fox Zone. (*Please refer to Appendix 1 below for the complete results of the drill program on the Red Fox Zone.*) This zone is part of the northwestern footwall located within the 3-kilometre long Philibert mineralized corridor. To date, **the Red Fox Zone has been defined over 650 metres along strike and up to 525 metres vertical depth** (see Figure 1 and 2 and Table 1).

Today’s results include drill hole **PB-22-417**, returning **2.13 g/t Au over 31.4 metres from 25.0 to 56.4 metres** from the southern extent of the Red Fox Zone (see Figure 3 and 4). In this area the Company

already reported some impressive results, including drill hole **PB-22-336** (see *Royal Fox Gold Inc. press release dated May 18, 2022*) with **1.69 g/t Au over 35.6 metres** from 26.5 to 62.1 metres.

Another five drill holes tested the western extension of the Red Fox Zone, with drill hole **PB-22-375** returning **4.84 g/t Au over 3.9 metres from 90.6 to 94.5 metres**. The Company is keen to expand the strike of the Red Fox Zone to the west and down dip in the next drill program. Drill holes PB-22-370, PB-22-378 and PB-22-354 were designed to test the southern surface extent of mineralization in the west and appear to have been drilled south of the surface extent of the mineralized zone. Drill hole PB-22-361A was the most eastern drill hole to test the Red Fox Zone, which intersected 1.78 g/t Au over 6.5 metres, connecting the mineralized zone to the Arctic Fox Zone.

Mineralization is hosted in a quartz rich gabbro named the Philibert Horizon, part of the Obatogamau Formation, and focused within west-northwest to northwest trending silicified shear zones with moderate dips to the northeast. Mineralization is characterized by strong ankerite and silica alteration, cut by dark grey quartz veining and up to 20% disseminated pyrite and pyrrhotite mineralization.

*Table 1: Reported Results Red Fox Zone*

Drill Hole	From (m)	To (m)	Interval (m)	Au (g/t)	Zone
<b>PB-22-342</b>	<b>90.5</b>	<b>97.9</b>	<b>7.4</b>	<b>0.71</b>	<b>Red Fox</b>
including	91.3	93.0	1.7	2.33	Red Fox
<b>PB-22-354</b>	49.2	50.2	1.0	0.45	Red Fox
and	108.2	109.0	0.8	0.56	Red Fox
<b>PB-22-357</b>	102.9	105.0	2.1	1.14	Red Fox
and	<b>122.0</b>	<b>135.0</b>	<b>13.0</b>	<b>0.81</b>	<b>Red Fox</b>
including	<b>124.0</b>	<b>125.0</b>	<b>1.0</b>	<b>2.87</b>	<b>Red Fox</b>
<b>PB-22-361A</b>	24.5	26.5	2.0	0.68	Red Fox
and	<b>48.8</b>	<b>55.3</b>	<b>6.5</b>	<b>1.78</b>	<b>Red Fox</b>
including	<b>51.0</b>	<b>52.0</b>	<b>1.0</b>	<b>7.27</b>	<b>Red Fox</b>
and	91.0	92.0	1.0	1.01	Red Fox
and	99.0	100.2	1.2	1.55	Red Fox
<b>PB-22-370</b>	17.2	18.3	1.1	2.24	Red Fox - Extension
and	41.6	42.1	0.5	0.90	Red Fox - Extension
and	49.0	50.8	1.8	2.22	Red Fox - Extension
and	71.7	73.1	1.4	0.71	Red Fox - Extension
<b>PB-22-372A</b>	<b>79.2</b>	<b>81.7</b>	<b>2.5</b>	<b>4.44</b>	<b>Red Fox - Extension</b>
including	<b>79.7</b>	<b>80.5</b>	<b>0.8</b>	<b>7.43</b>	<b>Red Fox - Extension</b>
and	94.1	95.5	1.4	0.56	Red Fox - Extension
<b>PB-22-375</b>	30.8	33.4	2.6	0.45	Red Fox - Extension
and	38.6	39.2	0.6	0.77	Red Fox - Extension
and	<b>42.4</b>	<b>52.8</b>	<b>10.4</b>	<b>0.51</b>	<b>Red Fox - Extension</b>



including	43.5	44.6	1.1	1.25	Red Fox - Extension
<b>and</b>	<b>90.6</b>	<b>94.5</b>	<b>3.9</b>	<b>4.84</b>	<b>Red Fox - Extension</b>
<b>including</b>	<b>90.6</b>	<b>92.3</b>	<b>1.7</b>	<b>10.66</b>	<b>Red Fox - Extension</b>
<b>PB-22-378</b>	28.5	29.5	1.0	0.56	Red Fox
<b>PB-22-380</b>	<b>187.0</b>	<b>207.5</b>	<b>20.5</b>	<b>0.42</b>	<b>Red Fox</b>
<b>including</b>	<b>198.5</b>	<b>207.5</b>	<b>9.0</b>	<b>0.72</b>	<b>Red Fox</b>
and including	204.5	205.5	1.0	2.60	Red Fox
<b>and</b>	<b>240.0</b>	<b>248.0</b>	<b>8.0</b>	<b>0.67</b>	<b>Red Fox</b>
including	240.0	241.0	1.0	2.62	Red Fox
<b>and</b>	<b>267.5</b>	<b>269.5</b>	<b>2.0</b>	<b>3.55</b>	<b>Red Fox</b>
<b>PB-22-401</b>	239.7	240.4	0.7	1.17	Red Fox
and	261.5	270.0	8.5	0.48	Red Fox
including	268.7	270.0	1.3	1.72	Red Fox
<b>PB-22-417</b>	<b>25.0</b>	<b>56.4</b>	<b>31.4</b>	<b>2.13</b>	<b>Red Fox</b>
<b>including</b>	<b>36.0</b>	<b>41.0</b>	<b>5.0</b>	<b>3.55</b>	<b>Red Fox</b>
<b>including</b>	<b>48.0</b>	<b>53.0</b>	<b>5.0</b>	<b>6.90</b>	<b>Red Fox</b>
<b>including</b>	<b>51.0</b>	<b>52.0</b>	<b>1.0</b>	<b>16.50</b>	<b>Red Fox</b>
<b>and</b>	<b>68.8</b>	<b>81.0</b>	<b>12.2</b>	<b>0.85</b>	<b>Red Fox</b>
<b>including</b>	<b>70.0</b>	<b>71.0</b>	<b>1.0</b>	<b>5.26</b>	<b>Red Fox</b>

*Note: drill results are presented uncapped; lengths represent core lengths.*




Figure 1: Plan map with results from current press release for the Red Fox Zone.




Figure 2: Longitudinal view of the Red Fox Zone – looking northeast vertical.




Figure 3: Section L11840W Looking Northwest with PB-22-417, PB-22-357 and PB-22-401 from the current release. Section width 65 metres.




Figure 4: Photo of PB-22-417 – Red Fox Zone 2.13 g/t Au over 31.4 metres from 25.0 to 56.4 metres; (showing 36.0 to 56.4 metres)

### Sampling and Laboratory

True widths of the intercepts reported in this press release have yet to be determined but are estimated to be 60% to 90% of reported core lengths. All NQ-size split core assays reported were obtained by fire assay with atomic absorption finish and samples returning values over 10 ppm Au are re-analyzed, utilizing standard Fire Assay-Gravimetric methods. Samples were shipped to AGAT Laboratories with sample preparation done in Val-d'Or, Québec and sample analysis done in Mississauga, Ontario. The quality assurance and quality control protocol include insertion of blank and standard every 25 samples on average, in addition to the regular insertion of blank, duplicate, and standard samples inserted by AGAT Laboratories during the analytical process.

The technical content and scientific aspects of this press release have been reviewed and approved by Mrs. Adree DeLazzer, P. Geo., a Qualified Person as defined by the National Instrument 43-101. Mrs. DeLazzer is Vice-President Exploration of Northern Superior and is not considered independent.

### About Northern Superior Resources Inc.

Northern Superior is a gold exploration company focused on the Chibougamau Gold Camp in Québec, Canada. The Company has consolidated the largest land package in the region, with total land holdings currently exceeding 62,000 hectares. The main properties include Philibert, Lac Surprise, Chevrier and



Croteau Est. Northern Superior also owns significant exploration assets in Northern Ontario highlighted by the district scale TPK Project.

The Philibert Project is located 9km from IAMGOLD Corporation's Nelligan Gold project which was awarded the "Discovery of the Year" by the Québec Mineral Exploration Association ("AEMQ") in 2019. To date, more than C\$13 million (historical value) has been spent on the Philibert Project, with more than 75,000 metres of drilling completed. Northern Superior owns 75% of the Philibert Project while SOQUEM owns the remaining 25%. The Company has an option to increase its ownership to 100%; details of the option agreement with SOQUEM can be found in the corporate presentation. Lac Surprise hosts the Falcon Zone Discovery, interpreted to be the western strike extension of IAMGOLD Corporation's Nelligan Deposit. Chevrier hosts an inferred mineral resource of 652,000 ounces Au (underground and open pit) and an indicated mineral resource of 260,000 ounces Au (Northern Superior Resources, Chevrier Project NI 43-101, November 2022). Croteau Est hosts an inferred mineral resource of 640,000 ounces Au (Northern Superior Resources, Croteau Est Project NI 43-101, September 2015). References for technical NI 43-101 reports can be found on SEDAR ([www.sedar.com](http://www.sedar.com)) under company Northern Superior Resources Inc.

Northern Superior is a reporting issuer in British Columbia, Alberta, Ontario and Québec, and trades on the TSX Venture Exchange under the symbol SUP, and the OTCQB Venture Market under the symbol NSUPF.

For further information, please refer to the Company's website at [www.nsuperior.com](http://www.nsuperior.com) or to SEDAR at [www.sedar.com](http://www.sedar.com).

### **About SOQUEM**

SOQUEM, a subsidiary of Investissement Québec, is dedicated to promoting the exploration, discovery, and development of mining properties in Québec. SOQUEM also contributes to maintaining strong local economies. Proud partner and ambassador for the development of Québec's mineral wealth, SOQUEM relies on innovation, research, and strategic minerals to be well-positioned for the future.

### **Northern Superior Resources Inc. on Behalf of the Board of Directors**

Simon Marcotte, CFA, President and Chief Executive Officer

### **Contact Information**

Simon Marcotte, CFA  
President and Chief Executive Office  
Tel: (647) 801-7273  
[info@nsuperior.com](mailto:info@nsuperior.com)

*Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.*

### **Cautionary Note Regarding Forward-Looking Statements**

*This Press Release contains forward-looking statements that involve risks and uncertainties, which may cause actual results to differ materially from the statements made. When used in this document, the words*

“may”, “would”, “could”, “will”, “intend”, “plan”, “anticipate”, “believe”, “estimate”, “expect” and similar expressions are intended to identify forward-looking statements. Such statements reflect our current views with respect to future events and are subject to such risks and uncertainties. Many factors could cause our actual results to differ materially from the statements made, including those factors discussed in filings made by us with the applicable securities regulatory authorities. Should one or more of these risks and uncertainties, such actual results of current exploration programs, the general risks associated with the mining industry, the price of gold and other metals, currency and interest rate fluctuations, increased competition and general economic and market factors, occur or should assumptions underlying the forward looking statements prove incorrect, actual results may vary materially from those described herein as intended, planned, anticipated, or expected. We do not intend and do not assume any obligation to update these forward-looking statements, except as required by law. Shareholders are cautioned not to put undue reliance on such forward-looking statements.

## Appendix One

Table 1 – Drill Program Red Fox Zone – Complete Results

Drill Hole	From (m)	To (m)	Interval (m)	Au (g/t)	Metal Factor	Zone	Press Release
<b>PB-22-323B</b>	<b>372.0</b>	<b>400.0</b>	<b>28.0</b>	<b>1.45</b>	<b>41</b>	<b>Red Fox</b>	<b>Reported 11-Mar-22</b>
<b>including</b>	<b>372.0</b>	<b>382.0</b>	<b>10.0</b>	<b>2.01</b>	<b>20</b>	<b>Red Fox</b>	<b>Reported 11-Mar-22</b>
and	454.0	454.6	0.6	2.59	2	Red Fox	Reported 11-Mar-22
<b>PB-22-327A</b>	<b>430.0</b>	<b>431.0</b>	<b>1.0</b>	<b>2.68</b>	<b>3</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>and</b>	<b>490.3</b>	<b>497.3</b>	<b>7.0</b>	<b>2.58</b>	<b>18</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>and</b>	<b>511.2</b>	<b>524.8</b>	<b>13.6</b>	<b>1.70</b>	<b>23</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>including</b>	<b>516.9</b>	<b>519.3</b>	<b>2.4</b>	<b>4.36</b>	<b>10</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>PB-22-335</b>	<b>15.7</b>	<b>55.0</b>	<b>39.3</b>	<b>0.85</b>	<b>33</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>including</b>	<b>15.7</b>	<b>28.7</b>	<b>13.0</b>	<b>1.10</b>	<b>14</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>and including</b>	<b>39.7</b>	<b>55.0</b>	<b>15.3</b>	<b>1.00</b>	<b>15</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>PB-22-336</b>	<b>26.5</b>	<b>62.1</b>	<b>35.6</b>	<b>1.69</b>	<b>60</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>including</b>	<b>30.0</b>	<b>43.0</b>	<b>13.0</b>	<b>3.06</b>	<b>40</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>and including</b>	<b>51.0</b>	<b>53.0</b>	<b>2.0</b>	<b>4.77</b>	<b>10</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>PB-22-337A</b>	<b>30.4</b>	<b>49.4</b>	<b>19.0</b>	<b>0.95</b>	<b>18</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>including</b>	<b>43.8</b>	<b>48.4</b>	<b>4.6</b>	<b>1.55</b>	<b>7</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>PB-22-338</b>	<b>34.5</b>	<b>48.0</b>	<b>13.5</b>	<b>0.57</b>	<b>8</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>PB-22-340</b>	<b>13.9</b>	<b>15.8</b>	<b>1.9</b>	<b>1.42</b>	<b>3</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>and</b>	<b>45.0</b>	<b>63.0</b>	<b>18.0</b>	<b>0.53</b>	<b>10</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>including</b>	<b>62.0</b>	<b>63.0</b>	<b>1.0</b>	<b>2.09</b>	<b>2</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>and</b>	<b>73.0</b>	<b>75.0</b>	<b>2.0</b>	<b>0.94</b>	<b>2</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>PB-22-341</b>	<b>91.0</b>	<b>96.0</b>	<b>5.0</b>	<b>1.13</b>	<b>6</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>including</b>	<b>93.0</b>	<b>95.0</b>	<b>2.0</b>	<b>1.99</b>	<b>4</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>and</b>	<b>113.7</b>	<b>123.0</b>	<b>9.3</b>	<b>0.58</b>	<b>5</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>including</b>	<b>113.7</b>	<b>115.0</b>	<b>1.3</b>	<b>2.39</b>	<b>3</b>	<b>Red Fox</b>	<b>Reported 18-May-22</b>
<b>PB-22-342</b>	<b>90.5</b>	<b>97.9</b>	<b>7.4</b>	<b>0.71</b>	<b>5</b>	<b>Red Fox</b>	<b>Current Press Release</b>



including	91.3	93.0	1.7	2.33	4	Red Fox	Current Press Release
<b>PB-22-344</b>	<b>71.1</b>	<b>92.9</b>	<b>21.8</b>	<b>0.66</b>	<b>14</b>	<b>Red Fox</b>	Reported 18-May-22
including	71.1	84.4	13.3	0.92	12	Red Fox	Reported 18-May-22
and	103.4	115.4	12.0	0.30	4	Red Fox	Reported 18-May-22
<b>PB-22-348</b>	41.0	42.0	1.0	1.07	1	Red Fox	Reported 18-May-22
and	67.5	92.0	24.5	0.87	21	Red Fox	Reported 18-May-22
including	67.5	77.0	9.5	0.91	9	Red Fox	Reported 18-May-22
and	85.0	92.0	7.0	1.64	11	Red Fox	Reported 18-May-22
<b>PB-22-352A</b>	39.0	41.0	2.0	1.03	2	Red Fox	Reported 18-May-22
and	73.0	74.0	1.0	1.56	2	Red Fox	Reported 18-May-22
and	90.5	95.5	5.0	1.25	6	Red Fox	<b>Reported 18-May-22</b>
including	90.5	91.5	1.0	4.88	5	Red Fox	<b>Reported 18-May-22</b>
<b>PB-22-354</b>	49.2	50.2	1.0	0.45	0	Red Fox	Current Press Release
and	108.2	109.0	0.8	0.56	0	Red Fox	Current Press Release
<b>PB-22-357</b>	102.9	105.0	2.1	1.14	2	Red Fox	Current Press Release
and	122.0	135.0	13.0	0.81	11	Red Fox	<b>Current Press Release</b>
including	124.0	125.0	1.0	2.87	3	Red Fox	<b>Current Press Release</b>
<b>PB-22-361A</b>	24.5	26.5	2.0	0.68	1	Red Fox	Current Press Release
and	48.8	55.3	6.5	1.78	12	Red Fox	<b>Current Press Release</b>
including	51.0	52.0	1.0	7.27	7	Red Fox	<b>Current Press Release</b>
and	91.0	92.0	1.0	1.01	1	Red Fox	Current Press Release
and	99.0	100.2	1.2	1.55	2	Red Fox	Current Press Release
<b>PB-22-364</b>	102.5	115.5	13.0	1.10	14	Red Fox	Reported 18-May-22
and	139.0	142.0	3.0	0.94	3	Red Fox	Reported 18-May-22
<b>PB-22-366</b>	48.0	50.3	2.3	0.79	2	Red Fox	Reported 18-May-22
<b>PB-22-370</b>	17.2	18.3	1.1	2.24	2	Red Fox - Extension	Current Press Release
and	41.6	42.1	0.5	0.90	0	Red Fox - Extension	Current Press Release
and	49.0	50.8	1.8	2.22	4	Red Fox - Extension	Current Press Release
and	71.7	73.1	1.4	0.71	1	Red Fox - Extension	Current Press Release
<b>PB-22-372A</b>	79.2	81.7	2.5	4.44	11	Red Fox - Extension	<b>Current Press Release</b>
including	79.7	80.5	0.8	7.43	6	Red Fox - Extension	<b>Current Press Release</b>
and	94.1	95.5	1.4	0.56	1	Red Fox - Extension	Current Press Release
<b>PB-22-375</b>	30.8	33.4	2.6	0.45	1	Red Fox - Extension	Current Press Release
and	38.6	39.2	0.6	0.77	0	Red Fox - Extension	Current Press Release
and	42.4	52.8	10.4	0.51	5	Red Fox - Extension	<b>Current Press Release</b>
including	43.5	44.6	1.1	1.25	1	Red Fox - Extension	Current Press Release
and	90.6	94.5	3.9	4.84	19	Red Fox - Extension	<b>Current Press Release</b>
including	90.6	92.3	1.7	10.66	18	Red Fox - Extension	<b>Current Press Release</b>
<b>PB-22-378</b>	28.5	29.5	1.0	0.56	1	Red Fox	Current Press Release
<b>PB-22-380</b>	187.0	207.5	20.5	0.42	9	Red Fox	<b>Current Press Release</b>
including	198.5	207.5	9.0	0.72	6	Red Fox	<b>Current Press Release</b>
and including	204.5	205.5	1.0	2.60	3	Red Fox	Current Press Release

<b>and</b>	<b>240.0</b>	<b>248.0</b>	<b>8.0</b>	<b>0.67</b>	<b>5</b>	<b>Red Fox</b>	<b>Current Press Release</b>
including	240.0	241.0	1.0	2.62	3	Red Fox	Current Press Release
<b>and</b>	<b>267.5</b>	<b>269.5</b>	<b>2.0</b>	<b>3.55</b>	<b>7</b>	<b>Red Fox</b>	<b>Current Press Release</b>
<b>PB-22-401</b>	<b>239.7</b>	<b>240.4</b>	<b>0.7</b>	<b>1.17</b>	<b>1</b>	<b>Red Fox</b>	<b>Current Press Release</b>
and	261.5	270.0	8.5	0.48	4	Red Fox	Current Press Release
including	268.7	270.0	1.3	1.72	2	Red Fox	Current Press Release
<b>PB-22-417</b>	<b>25.0</b>	<b>56.4</b>	<b>31.4</b>	<b>2.13</b>	<b>67</b>	<b>Red Fox</b>	<b>Current Press Release</b>
including	36.0	41.0	5.0	3.55	18	Red Fox	Current Press Release
including	48.0	53.0	5.0	6.90	35	Red Fox	Current Press Release
including	51.0	52.0	1.0	16.50	17	Red Fox	Current Press Release
and	68.8	81.0	12.2	0.85	10	Red Fox	Current Press Release
including	70.0	71.0	1.0	5.26	5	Red Fox	Current Press Release

Table 2 – Drill Program Red Fox Zone – Drillhole Table

Drill Hole	Easting	Northing	Elevation	Azimuth	Dip	Final Depth (m)
PB-22-323B	527892.9	5481513	386.8	210	50	155.8
PB-22-327A	527968.1	5481554	388.2	210	55	597.0
PB-22-335	527744.9	5480862	379.7	210	45	66.0
PB-22-336	527709.5	5480882	378.8	210	55	72.0
PB-22-337A	527667.8	5480886	378.8	210	50	69.0
PB-22-338	527625.4	5480899	378.6	210	55	57.0
PB-22-340	527609.9	5480946	379.2	210	50	87.0
PB-22-341	527631.8	5481063	379.9	210	50	138.0
PB-22-342	527594.5	5481083	379.6	210	55	141.0
PB-22-344	528001.8	5480922	379.2	210	42	150.0
PB-22-348	527550	5481080	379.2	210	60	144.0
PB-22-352A	527513.2	5481104	379.4	210	45	141.0
PB-22-354	527472.5	5481178	380.3	210	45	141.0
PB-22-357	527736.5	5481009	381.1	210	58	162.0
PB-22-361A	527805.6	5480894	379.9	210	55	120.0
PB-22-364	527797.8	5480966	380.6	210	58	171.0
PB-22-366	527893.4	5480922	380.3	210	52	201.0
PB-22-370	527339.0	5481114	378.9	210	45	81.0
PB-22-372A	527369	5481166	379.6	210	50	120.0
PB-22-375	527321.6	5481238	379.2	210	50	132.0
PB-22-378	527394	5481129	379.1	210	50	90.0
PB-22-380	527614	5481264	381.87	210	60	276.0
PB-22-401	527864	5481217	385.2	210	70	333.0
PB-22-417	527714	5480883	378.6	210	85	111.0

Drill hole collar coordinates in NAD 83 UTM Zone 17